NIRVANAPAPER INNOVATION SERIES

The Game Changer: designed for quality at speed









NIRVANAPAPER

INNOVATION SERIES

Optimum's flagship textile printer configured and optimized, with a patented jumbo-roll feeding system, for reliable high quality paper printing at high speeds.

This industrial transfer paper printer utilizes the industry's leading technologies and is available in 2 printing width options: 81" (205cm) and 126" (320cm). The printer can also be configured for direct to fabric printing – optimized as the NirvanaDirect printer.






Machine Features

- ✓ Smart automatic head cleaning system
- ✓ Integrated hybrid drying unit under machine
- ✓ Integrated vacuum generator with compressed air
- ✓ IGUS energy chains for smooth motion control
- ✓ Aluminium frame and double carriage rail
- ✓ Unwinder/winder dancing tension system (no pinch rollers)
- ✓ Patented industrial jumbo roll feeder with airshaft rolls
- ✓ Safety trigger system for printhead protection
- ✓ Closed design system for safe operation and reduced noise

Printing Features

- ✓ Potential for uninterrupted 24/7 printing operations
- ✓ Low vibrations from strong frame for accurate dotting
- ✓ Up to 1,100lbs (500kg) and 18" (70cm/ 27.5) diameter media rolls
- ✓ Reliable printing and drying at 6,027sqf/h (560sqm/h)
- ✓ Spare-parts and inks inventory at all locations
- ✓ In-house color specialist for customized color profiling





Industrial Printheads 5pl – 73pl Single Channel



PLC Technology
German Electronics





Patented Technology Industrial Jumbo Roll



Technical Specifications

Default Printhead	Kyocera KJ4B - 600DPI	Variable Drop		5 pl - 73 pl
Printhead Options	4/6/8/12/16 (max 2 rows)	Color Options		4 color - 6 color - 8 color
Ink Compatibility	Sublimation, Pigment, Reactive	Ink Tank System		Open System - 5kg capacity
Max Print Width	Standard: 205cm (80.7") L Option: 320cm (126")	Media Type		Paper, non-elastic textile, plastic film
Media Drying System	Integrated hybrid drying system	Media Feeding System		Industrial jumbo roll feeder Vacuum system
RIP Software	Neo-Stampa Optimum Digital Special Edition Caldera Textile Pro Enterprise	Max Media Weight		500kg / 70cm diameter 1,100lbs / 27.5" diameter
		Graphical User Interface (GUI)		ODP Print 2
Power Requirements	Single phase 220 VAC 25A	Compressed Air		0,6 Mpa @ 2L/min
Printer Dimensions	550cm x 270cm x 150cm		217" x 106" x 59"	
Net Printer Weight	2,600kg		5,732lbs	
Net Machinery Weight	3,500kg		7,716lbs	





Printing made easy



TABLECLOTH



CURTAIN



DECORATIVE PAPER



UPHOLSTERY



SPORTSWEAR



WALLPAPER



FLAGS



BED COVERS



APPAREL

Print on transfer paper, wallpaper as well as non-stretching fabrics with sublimation and pigment technology

NIRVANAPAPER

INNOVATION SERIES

